



License No: 3337

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

EIFFEL LUBRICANTS

may be used through 31-Mar-2025 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EIFFEL DURAMAX SILVER	20W-40	SL	
EIFFEL DURAMAX SILVER	20W-50	SL	
EIFFEL DURAMAX SILVER 4T	20W-40	SL	
EIFFEL DURAMAX SILVER 4T	20W-50	SL	
EIFFEL DURAMAX SUPERIOR	20W-40	SJ	
EIFFEL DURAMAX SUPERIOR	20W-50	SJ	
EIFFEL DURAMAX SUPERIOR 4T	20W-40	SJ	
EIFFEL DURAMAX SUPERIOR 4T	20W-50	SJ	
EIFFEL DURAMAX ULTIMATE	20W-50	SN	
EIFFEL ENERGY BOOST 4T	20W-40	SL	
EIFFEL MARVELA TITANIUM	10W-40	CI-4/SL	
EIFFEL MARVELA ULTIMATE	10W-30	CJ-4/SN	
EIFFEL MARVELA ULTIMATE	10W-40	CJ-4/SN	
EIFFEL MARVELA XTREME	10W-30	CK-4/SN	CI-4 PLUS
EIFFEL MARVELA XTREME	10W-40	CK-4/SN	CI-4 PLUS
EIFFEL MARVELA XTREME FE	10W-30	FA-4	
EIFFEL NOBLE SILVER	15W-40	SL	
EIFFEL NOBLE SILVER 4T	15W-40	SL	
EIFFEL NOBLE SUPERIOR	15W-40	SJ	
EIFFEL NOBLE SUPERIOR 4T	15W-40	SJ	
EIFFEL NOBLE SUPREME	15W-40	SP	SN PLUS
EIFFEL OCEAN VISTA TITANIUM	15W-40	CI-4/SL	
EIFFEL OPERA GOLD	5W-20	SM	
EIFFEL OPERA GOLD	5W-30	SM	
EIFFEL OPERA SUPREME	5W-20	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 22-Aug-2024

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

AMERICAN PETROLEUM INSTITUTE

SAE





License No: 3337

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

EIFFEL LUBRICANTS

may be used through 31-Mar-2025 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
EIFFEL OPERA SUPREME	5W-30	SP	Resource Conserving, SN PLUS
EIFFEL OPERA ULTIMATE	5W-40	SN	
EIFFEL OPERA ULTIMATE C2	5W-20	SN	
EIFFEL OPERA ULTIMATE C2	5W-30	SN	
EIFFEL OPERA ULTIMATE C3	5W-20	SN	
EIFFEL OPERA ULTIMATE C3	5W-30	SN	
EIFFEL OPERA ULTIMATE ESP	5W-30	SN	
EIFFEL OPERA ULTIMATE FE	5W-40	SN	
EIFFEL OPERA ULTIMATE LL	5W-30	SN	
EIFFEL OPERA ULTIMATE XFE	5W-30	SN	SN PLUS
EIFFEL OPERA ULTIMATE XFE	5W-40	SN	SN PLUS
EIFFEL PRESTI GOLD	10W-30	SM	
EIFFEL PRESTI GOLD	10W-40	SM	
EIFFEL PRESTI GOLD 4T	10W-30	SM	
EIFFEL PRESTI GOLD 4T	10W-40	SM	
EIFFEL PRESTI SILVER	10W-30	SL	
EIFFEL PRESTI SILVER	10W-40	SL	
EIFFEL PRESTI SILVER 4AT	10W-40	SL	
EIFFEL PRESTI SILVER 4T	10W-40	SL	
EIFFEL PRESTI SUPERIOR	10W-30	SJ	
EIFFEL PRESTI SUPERIOR	10W-40	SJ	
EIFFEL PRESTI SUPERIOR 4T	10W-40	SJ	
EIFFEL PRESTI SUPREME	10W-30	SP	Resource Conserving, SN PLUS
EIFFEL PRESTI SUPREME	10W-40	SP	SN PLUS

Manager - EOLCS/DEF/MOM

Date: 22-Aug-2024

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 3337

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
IEFFEL LUBRICANTS
may be used through 31-Mar-2025 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
IEFFEL PRESTI ULTIMATE	10W-40	SN	
IEFFEL PRESTI ULTIMATE 4T	10W-30	SN	
IEFFEL PRESTI ULTIMATE 4T	10W-40	SN	
IEFFEL PRESTI ULTIMATE FE	10W-40	SN	
IEFFEL SAHARA PLATINUM	20W-50	CH-4/SL	
IEFFEL SPARK SUPREME	0W-16	SP	Resource Conserving, SN PLUS
IEFFEL SPARK SUPREME	0W-20	SP	Resource Conserving, SN PLUS
IEFFEL SPARK SUPREME	0W-30	SP	Resource Conserving, SN PLUS
IEFFEL SPARK SUPREME C5	0W-20	SP	SN PLUS
IEFFEL SPARK ULTIMATE	0W-40	SN	
IEFFEL SPARK ULTIMATE C2	0W-20	SN	
IEFFEL SPARK ULTIMATE C2	0W-30	SN	
IEFFEL SPARK ULTIMATE C3	0W-20	SN	
IEFFEL SPARK ULTIMATE C3	0W-30	SN	
IEFFEL SPARK ULTIMATE XFE C3	0W-30	SN	SN PLUS
IEFFEL VISTA PLATINUM	15W-40	CH-4/SL	
IEFFEL VISTA PLATINUM	15W-40	CH-4/SJ	
IEFFEL VISTA SUPER TITANIUM	15W-40	CI-4/SL	CI-4 PLUS
IEFFEL VISTA TITANIUM	15W-40	CI-4/SL	
IEFFEL VISTA ULTIMATE	15W-40	CJ-4/SN	
IEFFEL VISTA XTREME	15W-40	CK-4/SN	CI-4 PLUS
SAMIC EXCEL JADE XFE	0W-30	SN	SN PLUS
SAMIC EXCEL SUPREME	0W-20	SP	Resource Conserving, SN PLUS

Manager - EOLCS/DEF/MOM

Date: 22-Aug-2024

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch





License No: 3337

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

EIFFEL LUBRICANTS

may be used through 31-Mar-2025 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
SAMIC EXCEL SUPREME	0W-30	SP	Resource Conserving, SN PLUS
SAMIC MAXIMA GOLD	10W-40	CI-4/SL	
SAMIC MAXIMA PLATINUM	10W-30	CJ-4/SN	CI-4 PLUS
SAMIC MAXIMA PLATINUM	10W-40	CJ-4/SN	CI-4 PLUS
SAMIC NOVA GOLD	20W-50	CI-4/SL	
SAMIC NOVA SILVER	20W-50	CH-4/SL	
SAMIC OPTIMA GOLD	15W-40	CI-4/SL	
SAMIC OPTIMA PLATINUM	15W-40	CJ-4/SN	CI-4 PLUS
SAMIC OPTIMA SILVER	15W-40	CH-4/SL	
SAMIC VITAL JADE	5W-40	SN	
SAMIC VITAL JADE C3	5W-30	SN	
SAMIC VITAL JADE ESP	5W-30	SN	
SAMIC VITAL JADE LL	5W-30	SN	
SAMIC VITAL JADE XFE	5W-30	SN	SN PLUS
SAMIC VITAL SUPREME	5W-30	SP	Resource Conserving, SN PLUS
XPRESS MARVELA XFE	5W-30	SN	SN PLUS
XPRESS ULTIMA XFE	0W-30	SN	SN PLUS
ZEITH AMBER SUPREME	0W-20	SP	Resource Conserving, SN PLUS
ZEITH AMBER ULTIMATE XFE	0W-30	SN	SN PLUS
ZEITH APACHE SUPREME	5W-30	SP	Resource Conserving, SN PLUS
ZEITH APACHE ULTIMATE	5W-40	SN	
ZEITH APACHE ULTIMATE ESP C3	5W-30	SN	



Manager - EOLCS/DEF/MOM

Date: 22-Aug-2024

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 3337

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and

IEFFEL LUBRICANTS

may be used through 31-Mar-2025 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
ZEITH APACHE ULTIMATE ESP C3	5W-40	SN	
ZEITH APACHE ULTIMATE LL 5W30	5W-30	SN	
ZEITH APACHE ULTIMATE XFE	5W-30	SN	SN PLUS
ZEITH DYNAMO TITANIUM	15W-40	CI-4/SL	
ZEITH EMERALD SILVER	15W-40	SL	
ZEITH EMERALD SUPREME	15W-40	SP	SN PLUS
ZEITH FAVELA TITANIUM	10W-40	CI-4/SL	
ZEITH QUARTZ SUPREME	10W-30	SP	Resource Conserving, SN PLUS
ZEITH QUARTZ ULTIMATE	10W-40	SN	
ZEITH SCINTILA PLATINUM	20W-50	CH-4/SL	



Manager - EOLCS/DEF/MOM

Date: 22-Aug-2024

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 3337

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
EIFFEL LUBRICANTS
may be used through 31-Mar-2025 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
EIFFEL OPERA SUPREME	5W-30	GF-6A
EIFFEL PRESTI SUPREME	10W-30	GF-6A
EIFFEL SPARK SUPREME	0W-20	GF-6A
EIFFEL SPARK SUPREME	0W-30	GF-6A
SAMIC EXCEL SUPREME	0W-20	GF-6A
SAMIC EXCEL SUPREME	0W-30	GF-6A
SAMIC VITAL SUPREME	5W-30	GF-6A
ZEITH AMBER SUPREME	0W-20	GF-6A
ZEITH APACHE SUPREME	5W-30	GF-6A
ZEITH QUARTZ SUPREME	10W-30	GF-6A



Manager - EOLCS/DEF/MOM

Date: 22-Aug-2024

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch



License No: 3337

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
EIFFEL LUBRICANTS
may be used through 31-Mar-2025 are as follows:



API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:

BRAND NAME


SAE VISCOSITY
GRADE

ILSAC SPECIFICATION

EIFFEL SPARK SUPREME

0W-16

GF-6B



Manager - EOLCS/DEF/MOM

Date: 22-Aug-2024

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Donut"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-342 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch